



Page: 1 of 5

Infosafe No™ 3CHIE Issue Date: October 2019 RE-ISSUED by ABS

CRYSTAL VIOLET HUCKER & CONN Product Name:

Classified as hazardous

1. Identification

GHS Product

CRYSTAL VIOLET HUCKER & CONN.

Identifier

ACVH Product Code

AUSTRALIAN BIOSTAIN Ptv Ltd **Company Name**

Address 24 - 28 Stratton Drive,

> Traralgon, Victoria, Australia, 3844 www.australianbiostain.com.au

Telephone/Fax

Number

Tel: (03) 5176 2855

CHEMCALL (24 hours): 1800 127 406 (Australia) / +64-4-917-9888 (International) **Emergency phone**

number Recommended use

of the chemical and restrictions on use

Other Information

Laboratory stain/reagent. Staining of micro-organisms.

Australian Biostain Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon Australian Biostain Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of Australian Biostain Pty Ltd is limited to the replacement of supply of equivalent goods or payment of the cost of replacing the goods or acquiring equivalent goods.

2. Hazard Identification

GHS classification

of the

substance/mixture

This product is classified as HAZARDOUS according to Approved Criteria for Classifying Hazardous Substances [NOSHC:1008] and/or list of Designated Hazardous Substances [NOHSC:10005] and the

Hazardous Substances Information System [HSIS] Worksafe Australia May 2014.

This product is classified as a DANGEROUS GOODS according to the Australian Code for the Transport

and Storage of Dangerous Goods by Road and Rail

Flammable Liquids: Category 3 Carcinogenicity: Category 2

Hazardous to the Aquatic Environment - Long-Term Hazard: Category 2

Signal Word (s) **WARNING**

Hazard Statement

H226 Flammable liquid and vapour. H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

Flame, Health hazard, Environment Pictogram (s)







Precautionary statement -Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

P273 Avoid release to the environment.

Precautionary statement -Response

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P370+P378 In case of fire: Use dry sand, foam, dry chemical, CO2 or water spray for extinction.





Page: 2 of 5

Infosafe No™ 3CHIE Issue Date: October 2019 RE-ISSUED by ABS

CRYSTAL VIOLET HUCKER & CONN Product Name:

Classified as hazardous

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

Precautionary

P403+P235 Store in a well-ventilated place. Keep cool.

statement - Storage P405 Store locked up.

Precautionary statement -**Disposal**

P501 Dispose of contents/container to an approved waste disposal plant.

3. Composition/information on ingredients

Ingredients	<u>Name</u>	CAS	Proportion	Hazard Symbol	Risk Phrase
	Ethanol	64-17-5	30 %v/v		
	Crystal violet (C.I. 42555)	548-62-9	2 %		
	Ammonium oxalate monohydrate	6009-70-7	0.8 %		
	Water to make a total of 100%	7732-18-5	-		

4. First-aid measures

If inhaled, remove from contaminated area to fresh air immediately. Apply artificial respiration if not Inhalation

breathing. If breathing is difficult, give oxygen. Immediately obtain medical aid if cough or other

symptoms appear.

Rinse mouth thoroughly with water immediately, repeat until all traces of product have been removed. Ingestion

DO NOT INDUCE VOMITING. Seek medical advice if effects persist.

Skin Immediately remove contaminated clothing and wash affected area with water for at least 15 minutes.

Ensure contaminated clothing is washed before re-use. Seek medical advice /attention depending on the

severity.

Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. In all Eve contact

cases of eye contamination it is a sensible precaution to seek medical advice.

Maintain eyewash fountain and safety shower in work area. **First Aid Facilities**

Advice to Doctor Treat symptomatically based on judgement of doctor and individual reactions of the patient.

Other Information For advice, contact the National Poisons Information Centre (Phone Australia 13 11 26; New Zealand

0800 764 766) or a doctor.

5. Fire-fighting measures

Hazards from Oxides of carbon.

Combustion **Products**

Specific Methods Caution: Use of water spray when fighting fire may be inefficient.

Small fire: Use foam, dry chemical, CO2 or water spray.

Large fire: Use foam, fog or water spray - Do not use water jets.

If safe to do so, move undamaged containers from fire area. Cool containers with flooding quantities of

water until well after fire is out.

Specific hazards arising from the chemical

HIGHLY FLAMMABLE: These products have a low flash point - Will be easily ignited by heat, sparks or flames at ambient temperatures. Vapours will form explosive mixtures with air. Vapours will travel to source of ignition and flash back. Fire may produce irritating, poisonous and/or corrosive gases.

Containers may explode when heated. Many liquids are lighter than water. Many vapours are heavier than air and will collect in low or confined areas (drains, basements, tanks). Vapours from run-off may

create an explosion hazard.

Hazchem Code •3YE

Precautions in

SCBA and structural firefighter's uniform may provide limited protection. Fully-encapsulating, gas-tight

connection with Fire suits should be worn for maximum protection.

6. Accidental release measures

Extinguish naked flames. Remove ignition sources No smoking Avoid sparks. Avoid inhalation, Personal

contact with skin, eyes and clothing. **Precautions**

drum or overdrum.

Personal Protection Wear protective clothing specified for normal operations (see Section 8)

Clean-up Methods -**Small Spillages**

Absorb or contain liquid with sand, earth or spill control material. Shovel up using non sparking tools and place in a labelled, sealable container for subsequent safe disposal. Put leaking containers in a labelled



infosafe CS: 1.7.2

Page: 3 of 5

Footnote

Infosafe No™ 3CHIE Issue Date: October 2019 RE-ISSUED by ABS

CRYSTAL VIOLET HUCKER & CONN Product Name:

Classified as hazardous

Environmental

Do not discharge into drains, surface water or ground water. Do not discharge to subsoil/soil.

Precautions

7. Handling and storage

Precautions for Safe Extinguish any naked flames. Remove ignition sources. Avoid sparks. Do not smoke.

Avoid fumes. Handling

Wear Safety glasses, gloves and protective apron.

Work in an area of good ventilation, an approved fume cupboard is preferred. No eating or drinking in workplace, wash hands whenever leaving work area.

Storage Regulations Refer Australian Standard AS 1940-2017 'The storage and handling of flammable and combustible

liquids'.

8. Exposure controls/personal protection

Occupational exposure limit values

STEL TWA Name

mg/m3 ppm mg/m3 ppm Ethanol 1880 1000

Other Exposure Information

No exposure standard has been established for this product. The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Safe Work Australia has established the above exposure limits for Ethanol.

Appropriate Maintain the concentrations values below the TWA. This may be achieved by process modification, use engineering controls of local exhaust ventilation, capturing substances at the source, or other methods. These methods

should be used in preference to personal protective equipment.

Usually not required. Respiratory

Protection Where ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours

or mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. Filter capacity and respirator type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection,

fit testing, training, maintenance and inspection.

Eye Protection The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate.

Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.

Hand Protection Wear gloves of impervious material conforming to AS/NZS 2161: Occupational protective gloves

> Selection, use and maintenance. Final choice of appropriate glove type will vary according to individual circumstances. This can include methods of handling, and engineering controls as determined by appropriate risk assessments. Avoid skin contact when removing gloves from hands, do not touch the

gloves outer surface. Dispose of gloves as hazardous waste.

Personal Protective Equipment

Personal protective equipment should not solely be relied upon to control risk and should only be used when all other reasonably practicable control measures do not eliminate or sufficiently minimise risk.

Guidance in selecting personal protective equipment can be obtained from Australian, Australian/New

Zealand or other approved standards.

Hygiene Measures Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other

protective equipment before storing or re-using.

9. Physical and chemical properties

Purple liquid. **Appearance** Odour Faint alcohol. Solubility in Water Completely. 29°C **Flash Point**

FLAMMABLE. This product should be stored and used in a well ventilated area away from naked flames, **Flammability**

sparks and other sources of ignition. Electrically link and ground metal containers for transfers of the

product to prevent accumulation of static electricity. Keep the container tightly closed.

10. Stability and reactivity



infosafe CS: 1.7.2

Page: 4 of 5

Infosafe No™ 3CHIE Issue Date: October 2019 RE-ISSUED by ABS

CRYSTAL VIOLET HUCKER & CONN Product Name:

Classified as hazardous

Chemical Stability Stable under normal use conditons.

Conditions to Avoid Extremes of temperature and direct sunlight. Heat, flames, ignition sources and incompatibles.

Incompatible **Materials**

Strong oxidisers, metals.

Hazardous Decomposition Only small quantities of decomposition products are expected from this product at temperatures

normally achieved in a fire. This will only occur after heating to dryness.

Products Hazardous

Will not occur.

Polymerization

11. Toxicological Information

Acute Toxicity - Oral LD50 Crystal Violet 420 mg/kg Oral rat.

Significant oral exposure is considered to be unlikely and is unlikely to cause any irritation problems in Ingestion

the short or long term.

Inhalation Unlikely to cause any irritation or discomfort.

No adverse effects expected. However will stain the skin, and the stain may be difficult to remove, but Skin

should not cause any adverse health effects.

May be mildly irritating to the eyes. Eye

Carcinogenicity Crystal violet - Carcinogenicity - category 2: H351 Suspected of causing cancer.

No evidence of mutagenic properties. Mutagenicity

12. Ecological information

Ecotoxicity The product is believed to not be a dangerous to the environment with respect to mobility, persistency

and degradbility, bioaccumulative potential, aquatic toxicity and other measures or relating to ecotoxicity.

13. Disposal considerations

Disposal Whatever cannot be saved for recovery or recycling should be disposed of according to relevant local,

Considerations state and federal government regulations.

14. Transport information

Dangerous Goods of Class 3 Flammable Liquids, are incompatible in a placard load with any of the **Transport**

Information following: - Class 1, Class 2.1, if both the Class 3 and Class 2.1, dangerous goods are in bulk, Class 2.3,

Class 4.2, Class 5, Class 6, if the Class 3 dangerous goods are nitromethane and Class 7.

U.N. Number

UN proper shipping FLAMMABLE LIQUID, N.O.S. - (Contains ethanol 30%)

name

Transport hazard

class(es)

Hazchem Code

•3YE

Packing Group Ш **EPG Number** 3A1

IERG Number 14

15. Regulatory information

Regulatory All of the significant ingredients in this formulation are compliant with NICNAS regulations. Not listed Information

under WHS Regulation 2011, Schedule 10 - Prohibited carcinogens, restricted carcinogens and

restricted hazardous chemicals.

Poisons Schedule Not Scheduled

16. Other Information

Literature 'Standard for the Uniform Scheduling of Medicines and Poisons .', Commonwealth of Australia.

References Lewis, Richard J. Sr. 'Hawley's Condensed Chemical Dictionary 13th. Ed.', Rev., John Wiley and Sons,

Inc., NY, 1997.

National Road Transport Commission, 'Australian Code for the Transport of Dangerous Goods by Road

and Rail 7th. Ed.', 2007.

Safe Work Australia, 'National Code of Practice fot the Preparation of Safety Data Sheets for Hazardous

Chemicals', 2011.





Page: 5 of 5

Infosafe No™ 3CHIE RE-ISSUED by ABS Issue Date: October 2019

Product Name: **CRYSTAL VIOLET HUCKER & CONN**

Classified as hazardous

Standards Australia, 'SAA/SNZ HB 76:2010 Dangerous Goods - Initial Emergency Response Guide',

Standards Australia/Standards New Zealand, 2010.

Safe Work Australia, 'Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)]'.

Safe Work Australia, 'Hazardous Chemical Information System, 2005'.

Safe Work Australia, 'National Code of Practice for the Labelling of Safe Work Hazardous Substances

Safe Work Australia, 'National Exposure Standards for Atmospheric Contaminants in the Occupational

Environment [NOHSC:1003(1995) 3rd Edition]'.

Other Information

DISCLAIMER STATEMENT: All information provided in this data sheet or by our technical representatives is compiled from the best knowledge available to us. However, since data, safety standards and government regulations are subject to change and the conditions of handling and use, or misuse, are beyond our control, we make no warranty either expressed or implied, with respect to the completeness or accuracy to the information

contained herein. Australian Biostain Pty Ltd accepts no responsibility whatsoever for its accuracy or for any results that may be obtained by customers from using the data and disclaims all liability for reliance on information provided in this data sheet or by our technical representatives.

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.