

Safety Data Sheet

Page: 1 of 6

Infosafe No™ 3CHOT

Issue Date : January 2021 RE-ISSUED by AMBERSCI

Product Name VOUGUES PROSKAUER 2

Classified as hazardous

1. Identification	
GHS Product Identifier	VOUGUES PROSKAUER 2
Product Code	VP2
Company Name	AMBER SCIENTIFIC PTY LTD
Address	24 - 28 Stratton Drive Traralgon Victoria 3844 Australia
Telephone/Fax Number	Tel: (03) 5176 2855
Emergency phone number	CHEMCALL (24 hours): 1800 127 406 (Australia) / +64-4-917-98888 (International)
Recommended use of the chemical and restrictions on use	Used in hospital and pathology laboratories only.
Other Information	Amber Scientific Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon Amber Scientific Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of Amber Scientific Pty Ltd is limited to the replacement of supply of equivalent goods or payment of the cost of replacing the goods or acquiring equivalent goods.
2. Hazard Identifi	cation
GHS classification of the substance/mixture	Classifying Hazardous Substances [NOSHC:1008] and/or list of Designated Hazardous Substances [NOHSC:10005] and the Hazardous Chemical Information System [HCIS] Worksafe Australia May 2014. DANGEROUS GOOD: Dangerous good classification according to the Australian Dangerous Goods Code. Eye Damage/Irritation: Category 2A Flammable Liquids: Category 2
Signal Word (s)	DANGER

Hazard Statement (s)H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.Pictogram (s)Flame, Exclamation mark,

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Precautionary P233 Keep container tightly closed. statement -P240 Ground/bond container and receiving equipment. Prevention P241 Use explosion-proof electrical/ventilating/lighting/.../equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash ... thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all Precautionary contaminated clothing. Rinse skin with water/shower. statement – Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

Print Date: 29/01/2021



Infosafe No™ 3CHOT

Issue Date : January 2021 RE-ISSUED by AMBERSCI

Product Name VOUGUES PROSKAUER 2

	Classified as hazardous
	P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P362 Take off contaminated clothing and wash before reuse.
Precautionary statement – Storage	P403+P235 Store in a well-ventilated place. Keep cool.
Precautionary statement – Disposal	P501 Dispose of contents/container to an approved waste disposal plant.
3 Composition/in	formation on ingradiants

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion	
	 Ethyl alcohol	64-17-5	95 %	
	1-naphtol	90-15-3	5 %	
4. First-aid meas	ures			
Inhalation	If inhaled, remove from contaminated area to fresh air immediately. Apply artificial respiration if not breathing. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.			
Ingestion	Rinse mouth thoroughly with water immediately, repeat until all traces of product have been removed. DO NOT INDUCE VOMITING. Seek medical advice if effects persist.			
Skin	Wash affected areas with copious quantities of water immediately. Remove contaminated clothing and wash before re-use. If swelling, redness, blistering or irritation occurs seek medical advice.			
Eye contact	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. If rapid recovery does not occur, obtain medical attention			
First Aid Facilities	Maintain eyewash fo	untain and safety show	er in work area.	
Advice to Doctor	Treat symptomatical the patient.	ly based on judgement	of doctor and individual reactions of	
Most important symptoms/effects, acute and delayed	and confusion. Skin Contact: May c Eye Contact: Causes vision. May cause e	ause skin irritation, serious eye irritatio	ion leading to headache, dizziness itchiness and redness. n, stinging, tearing and blurred throat and stomach.	
Other Information	n For advice, contact a Poisons Information Centre (Phone eg Australia 13 112) New Zealand 0800 764 766) or a doctor at once.			
5. Fire-fighting n	ieasures			

Oxides of carbon. Hazards from Combustion Products Caution: Use of water spray when fighting fire may be inefficient. **Specific Methods** Small fire: Use foam, dry chemical, CO2 or water spray. Large fire: Use foam, fog or water spray - Do not use water jets. If safe to do so, move undamaged containers from fire area. Cool containers with flooding quantities of water until well after fire is out. HIGHLY FLAMMABLE: These products have a low flash point - Will be easily Specific hazards ignited by heat, sparks or flames at ambient temperatures. Vapours will form arising from the explosive mixtures with air. Vapours will travel to source of ignition and chemical flash back. Fire may produce irritating, poisonous and/or corrosive gases. Containers may explode when heated. Many liquids are lighter than water. Many vapours are heavier than air and will collect in low or confined areas (drains, basements, tanks). Vapours from run-off may create an explosion hazard. Hazchem Code • 3YE SCBA and structural firefighter's uniform may provide limited protection. Precautions in Fully-encapsulating, gas-tight suits should be worn for maximum protection. connection with Fire

6. Accidental release measures



Page: 3 of 6

Infosafe No™	3CHOT Issue Date : January 2021 RE-ISSUED by AMBERSCI			
Product Name	VOUGUES PROSKAUER 2			
	Classified as hazardous			
Spills & Disposal	ELIMINATE all ignition sources (no smoking, flares, sparks or flame) within at least 50m - All equipment used in handling the product must be earthed. Do not touch or walk through spilled material. Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Vapour-suppressing foam may be used to control vapours. Absorb spill with earth, sand or other non-combustible material - Use clean, non-sparking tools to collect material and place it in loosely-covered metal or plastic containers for later disposal. Water spray may be used to knock down or divert vapour clouds. SEEK EXPERT ADVICE ON HANDLING AND DISPOSAL.			
Personal Precautions	Evacuate the area of all non-essential personnel. Remove ignition sources			
Personal Protection	Wear protective clothing specified for normal operations (see Section 8)			
7. Handling and s	torage			
Precautions for Safe Handling	Do not breathe vapour. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Take precautionary measures against static discharges. Wear appropriate respiratory protection and protective clothing. Evacuate all non-essential personnel from affected area. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.			
Conditions for safe storage, including any incompatibilities	Keep in a cool, well-ventilated place Keep away from heat and other sources of ignition. Store away from oxidizing agents. Store away from strong acids. Keep containers securely sealed and protected against physical damage. Do not store in pits or basements where vapours may become entrapped. Do not store in aluminium containers. Take precautionary measures against static electricity discharges.			
Storage Regulations	Refer Australian Standard AS 1940-2017 'The storage and handling of flammable and combustible liquids'.			

8. Exposure controls/personal protection

Occupational exposure limit values	Name	SI	TEL		TWA	
•		mg/m3	ppm	mg/m3	ppm	Footnote
	Ethyl alcohol			1880	1000	
Other Exposure Information	These Workplace Exposure S occupational health hazard as low a level as is worka be used as fine dividing 1 chemicals. They are not a A time weighted average (T Work Australia) of 1,880 m the average airborne conce over a normal 8 hour worki	ls. All atm able. These ines betwe measure of WA) has be ng/m ³ , (1,0 entration o .ng day for	ospheric workpla en safe relativ en estab 00 ppm). f a part a 5 day	c contamin ace exposu and dange re toxicit blished fo The expo cicular su working	ation sho are standa rous cond y. or Ethyl a sure valu bstance w week.	ould be kept to ards should not centrations of alcohol (Safe ue at the TWA is when calculated
Appropriate engineering controls	Maintain the concentration process modification, use at the source, or other me	of local e				
Respiratory Protection	Where ventilation is not a Avoid breathing vapours or with AS 1716 - Respiratory with AS 1715 - Selection, Devices. When mists or va the following is recommend dust/mist filters. Filter levels.	r mists. S Protectiv Use and Ma pours exce led: Approv	elect an e Device intenanc ed the e ed respi	nd use res es and be ce of Resp exposure s rator wit	pirators selected piratory H tandards Ch organic	in accordance in accordance Protective then the use of vapour and
Eye Protection	The use of a face shield, protection as appropriate. be selected and used in ac	Must com	ply with	n Australi	2	
Hand Protection	Wear gloves of impervious protective gloves - Select appropriate glove type wil can include methods of han	ion, use a l vary acc	nd maint ording t	énance. To individ	Final cho lual circu	pice of umstances. This



Page: 4 of 6

Issue Date : January 2021 RE-ISSUED by AMBERSCI

Product Name **VOUGUES PROSKAUER 2**

	Classified as hazardous
	appropriate risk assessments. Avoid skin contact when removing gloves from hands, do not touch the gloves outer surface. Dispose of gloves as hazardous waste.
Personal Protective Equipment	Personal protective equipment should not solely be relied upon to control risk and should only be used when all other reasonably practicable control measures do not eliminate or sufficiently minimise risk. Guidance in selecting personal protective equipment can be obtained from Australian, Australian/New Zealand or other approved standards.
Footwear	Safety boots in industrial situations is advisory, foot protection should comply with AS 2210, Occupational protective footwear - Guide to selection, care and use. Recommendation: Rubber boots.
Body Protection	Flame retardant antistatic protective clothing. Clean clothing or protective clothing should be worn, preferably with an apron. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.
Hygiene Measures	Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

9. Physical and chemical properties

stingstear and en	
Form	Liquid
Appearance	Amber coloured liquid.
Odour	Ethereal vinous odour.
Melting Point	-117.3 °C - 100%
Boiling Point	78.3 °C - 100%
Solubility in Water	Miscible.
Solubility in Organic Solvents	
Specific Gravity	0.8
Flash Point	12°C
Flammability	HIGHLY FLAMMABLE. Keep away from heat, sparks or naked flames. Use flameproof equipment and fittings to prevent flammability risk. Electrically link and ground metal containers for transfer of the product to prevent accumulation of static electricity. Ensure adequate ventilation to prevent an explosive vapour-air mixture. Vapours will travel considerable distances to sources of ignition.
Flammable Limits - Lower	3.5%
Flammable Limits - Upper	19%
10. Stability and r	eactivity
Chemical Stability	Stable under normal use conditons.
Conditions to Avoid	Heat, sparks, flame and build-up of static electricity.
Incompatible Materials	Oxidising agents, peroxides, acids, acid chlorides, acid anhydrides, alkali metals and ammonia.

HazardousMay liberate toxic fumes in fire producing carbon monoxide and or carbon
dioxide.Decomposition
ProductsMay liberate toxic fumes in fire producing carbon monoxide and or carbon
dioxide.

Hazardous Will not occur. Polymerization

11. Toxicological Information

Acute Toxicity - Oral LD50 (rat): 7060 mg/kg Ethanol LD50 (rat): 1870 mg/kg 1-Naphthol



Safety Data Sheet

Page: 5 of 6

Infosafe No™	4 3CHOTIssue Date : January 2021RE-ISSUED by AMBERSCI
Product Name	VOUGUES PROSKAUER 2
	Classified as hazardous
Ingestion	May cause nausea, vomiting, headache, dizziness, gastric irritation and CNS depression.
Inhalation	Irritating to the mucous membranes and respiratory tract. May cause headaches, dizziness, nausea and possible CNS effects.
Skin	May cause skin irritation, itchiness and redness. Will have a degreasing action on the skin.
Eye	Causes serious eye irritation, stinging, tearing and blurred vision. May cause eye damage.
Respiratory sensitisation	Not classified based on available information.
Skin Sensitisation	Not classified based on available information.
Germ cell mutagenicity	Not classified based on available information.
Carcinogenicity	Ethanol [61-17-5] in alcoholic beverages are evaluated in the IARC Monographs (Vol. 96) as Group 1: Carcinogenic to humans, (based on effects of drinking alcoholic beverages). Safe Work Australia does not classify ethanol as a carcinogen.
Reproductive Toxicity	Not classified based on available information.
STOT-single exposure	Not classified based on available information.
STOT-repeated exposure	Not classified based on available information.
Health Hazard	Though it is rapidly oxidized in the body and is therefore non-cumulative, ingestion of even moderate amounts causes lowering of inhibitions, often succeeded by dizziness, headache, or nausea. Larger intake causes loss of motor nerve control, shallow respiration, and in extreme cases unconsciousness and even death. Degree of intoxication is determined by concentration of alcohol in the brain. Of primary importance is the fact that intake of moderate amounts together with barbiturates or similar drugs is extremely dangerous and may even be fatal.
Chronic Effects	Repeated or prolonged skin contact may cause chronic dermatitis. May cause liver and kidney disorders.
Serious eye damage/irritation	Eye Damage/Irritation: Category 2A H319 Causes serious eye irritation.
Mutagenicity	No evidence of mutagenic properties.

12. Ecological information

Ecotoxicity	No	information	available
Persistence and	No	information	available
degradability Mobility	No	information	available

13. Disposal considerations

Disposal	Whatever cannot be saved for recovery or recycling should be disposed of
Considerations	according to relevant local, state and federal government regulations.

14. Transport information

Transport Information	Dangerous goods of Class 3 (Flammable Liquid) are incompatible in a placard load with any of the following: Class 1, Class 2.1, if both the Class 3 and Class 2.1 dangerous goods are in bulk, Class 2.3, Class 4.2, Class 5, Class 6, if the Class 3 dangerous goods are nitromethane, Class 7.
U.N. Number	1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S (Contains ethyl alcohol 95%)



Safety Data Sheet

Page: 6 of 6

	3CHOT Issue Date : January 2021 RE-ISSUED by AMBERSCI
Product Name	VOUGUES PROSKAUER 2
Classified as hazardous	
Transport hazard class(es)	3
Hazchem Code	• 3YE
Packing Group	II
EPG Number	3A1
IERG Number	14
15. Regulatory inf	formation
Regulatory Information	All of the significant ingredients in this formulation are compliant with Australian Industrial Chemicals Introduction Scheme (AICIS) regulations. Not listed under WHS Regulation 2011, Schedule 10 - Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
Poisons Schedule	Not Scheduled
16. Other Informa	ation
Literature References Contact Person/Point	'Standard for the Uniform Scheduling of Medicines and Poisons .', Commonwealt of Australia. National Road Transport Commission, 'Australian Code for the Transport of Dangerous Goods by Road and Rail 7th. Ed.'. Safe Work Australia, 'National Code of Practice fot the Preparation of Safety Data Sheets for Hazardous Chemicals'. Standards Australia, 'SAA/SNZ HB 76:2010 Dangerous Goods - Initial Emergency Response Guide', Standards Australia/Standards New Zealand. Safe Work Australia, 'Hazardous Chemical Information System'. Safe Work Australia, 'National Code of Practice for the Labelling of Safe Work Hazardous Substances'. Safe Work Australia, 'National Exposure Standards for Atmospheric Contaminant in the Occupational Environment'. Amber Scientific Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon Amber Scientific Pty Ltd with respect to any skill or judgement or advic in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.