



Page: 1 of

Infosafe No™ 3CHPP Issue Date : May 2021 RE-ISSUED by ABS

Product Name TCA/10% FORMALIN NAIL FIXATIVE

Classified as hazardous

1. Identification

GHS Product

TCA/10% FORMALIN NAIL FIXATIVE

Identifier

ATCA **Product Code**

Company Name AUSTRALIAN BIOSTAIN Pty Ltd

24 - 28 Stratton Drive, Address

Traralgon, Victoria, Australia, 3844

www.australianbiostain.com.au

Telephone/Fax Number

Tel: (03) 5176 2855

Emergency phone

CHEMCALL (24 hours): 1800 127 406 (Australia) / +64-4-917-9888 (International)

number E-mail Address

www.australianbiostain.com.au

Recommended use of Laboratory reagent the chemical and

restrictions on use **Other Information**

Australian Biostain Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon Australian Biostain Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of Australian Biostain Pty Ltd is limited to the replacement of supply of equivalent goods or payment of the cost of replacing the goods or acquiring equivalent goods.

2. Hazard Identification

Corrosive to Metals: Category 1 GHS classification of

Skin Corrosion/Irritation: Category 1B the

Acute Toxicity - Oral: Category 4 substance/mixture

Acute Toxicity - Dermal: Category 4 Acute Toxicity - Inhalation: Category 4

Sensitization - Skin: Category 1 Carcinogenicity: Category 1B

Specific Target Organ Toxicity - Single Exposure: Category 3

Signal Word (s) DANGER

H290 May be corrosive to metals. Hazard Statement (s)

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer by inhalation.

H335 May cause respiratory irritation. Corrosion, Health hazard, Exclamation mark

Pictogram (s)







P201 Obtain special instructions before use. **Precautionary**

P202 Do not handle until all safety precautions have been read and understood. statement -

P234 Keep only in original container. Prevention

P260 Do not breathe fume/gas/mist/vapours/spray.





Page: 2 of

Infosafe No™ 3CHPP Issue Date : May 2021 RE-ISSUED by ABS

Product Name TCA/10% FORMALIN NAIL FIXATIVE

Classified as hazardous

P264 Washthoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P281 Use personal protective equipment as required.

Precautionary

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

statement - Response P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P312 Call a POISON CENTER or doctor/physician if you feel unwell. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

1126 from anywhere in Australia.

P310 Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P390 Absorb spillage to prevent material damage.

P308+P313 IF exposed or concerned: Get medical advice/attention.

Precautionary statement - Storage P403+P233 Store in a wellventilated place. Keep container tightly closed.

P405 Store locked up.

P406 Store in corrosive resistant/... container with a resistant inner liner.

P501 Dispose of contents/container according to local, state and federal Precautionary

regulations. statement - Disposal

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Trichloroacetic acid	76-03-9	<10 %
	Formaldehyde	50-00-0	<7 %
	Water to make a total of 100%	of 7732-18-5	

1 First aid massures

4. First-aid measures					
Inhalation	If inhaled, remove from contaminated area to fresh air immediately, avoid becoming a casualty. Make patient comfortable, keep warm and at rest until fully recovered. If breathing is difficult (or develops a bluish skin discolouration), supply oxygen by a qualified person. Apply artificial respiration with a respiratory medical device if not breathing. Do not use mouth to mouth resuscitation. Immediately medical attention is required.				
Ingestion	Rinse mouth thoroughly with water immediately, repeat until all traces of product have been removed. DO NOT INDUCE VOMITING. Seek immediate medical advice.				
Skin	Remove contaminated clothing and wash affected skin with soap and water. If rapid recovery does not occur, obtain medical attention				
Eye contact	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. Obtain medical attention immediately.				
First Aid Facilities	Maintain eyewash fountain and safety shower in work area.				
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of the patient.				
Other Information	If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone 13				

5. Fire-fighting measures

Hazards from							
Combustion	On burning, will emit toxic fumes, including oxides of carbon. The packaging						
Products	material may burn to emit noxious fumes						
Specific Methods	Small fire: Use dry chemical, CO2 or water spray.						
•	Large fire: Use water spray, fog or foam - Do NOT use water jets.						





3 of Page: 6

Infosafe No™ 3CHPP Issue Date : May 2021 RE-ISSUED by ABS

Product Name TCA/10% FORMALIN NAIL FIXATIVE

Classified as hazardous

If safe to do so, move undamaged containers from the fire area. Cool containers with flooding quantities of water until well after the fire is out.

Avoid getting water inside the containers.

Specific hazards arising from the chemical

Hazchem Code

May burn but do not ignite readily. Containers may explode when heated. Runoff

may pollute waterways. Fire will produce irritating, poisonous and/or

corrosive gases. 2x

Precautions in connection with Fire

Wear SCBA and chemical splash suit. Fully encapsulating, gas-tight suits should be worn for maximum protection. Structural firefighter's uniform is NOT

effective for these materials.

6. Accidental release measures

Eliminate all ignition sources. Do NOT touch or walk through spilled product. Spills & Disposal

Do NOT touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if safe to do so. Prevent entry into waterways,

drains, confined areas.

Evacuate the area of all non-essential personnel. Avoid inhalation, contact Personal Precautions

with skin, eyes and clothing.

Wear protective clothing specified for normal operations (see Section 8) **Personal Protection**

Clean-up Methods -**Small Spillages**

Absorb with dry earth, sand or other non-combustible material. Neutralise with lime or soda ash. Use clean nonsparking tools to collect and seal in properly labelled drums for disposal in an area approved by local authority bylaws.

Wash area down with excess water to remove residual material.

7. Handling and storage

Precautions for Safe Handling

Handle and open containers with care. When opening containers, avoid

inhalation of headspace gases.

Use in a well-ventilated area. Prevent formation of aerosols.

Conditions for safe storage, including any incompatibilities Corrosiveness

Store away from sources of heat or ignition. Store away from oxidizing agents. Store away from combustible materials. Keep containers securely sealed and protected against physical damage.

CHET

Metal containers.

Refer Australian Standard AS 3780 - 1994 'The Storage and Handling of **Storage Regulations**

Corrosive Substances'.

8. Exposure controls/personal protection

exposure limit values	Name		STEL		1111				
			mg/m3	ppm	mg/m3	ppm		Footnot	e
	Trichloroacetic	acid			6.7	1			
	Formaldehyde		2.5	2	1.2	1			
Other Expessive	These Workplace	Exposure	Standards	ara miidae	to he	need in	+ha	control	o f

Other Exposure Information

Ossumational

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

TWA

The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than $15\ \text{minutes}$ and should not be repeated for more than $4\ \text{minutes}$ times per day. There should be at least 60 minutes between successive exposures at the STEL.

The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week.

Appropriate engineering controls Maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods.

Respiratory Protection

Where ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours or mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective





Page: 4 of 6

Infosafe No™ 3CHPP Issue Date : May 2021 RE-ISSUED by ABS

Product Name TCA/10% FORMALIN NAIL FIXATIVE

Classified as hazardous

Devices. Filter capacity and respirator type depends on exposure levels. event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including

selection, fit testing, training, maintenance and inspection.

The use of a face shield, chemical goggles or safety glasses with side shield **Eye Protection** protection as appropriate. Must comply with Australian Standards AS 1337 and

be selected and used in accordance with AS 1336.

Wear gloves of impervious material conforming to AS/NZS 2161: Occupational **Hand Protection**

> protective gloves - Selection, use and maintenance. Final choice of appropriate glove type will vary according to individual circumstances. This can include methods of handling, and engineering controls as determined by appropriate risk assessments. Avoid skin contact when removing gloves from hands, do not touch the gloves outer surface. Dispose of gloves as hazardous

waste.

Personal Protective Equipment

Personal protective equipment should not solely be relied upon to control risk and should only be used when all other reasonably practicable control measures do not eliminate or sufficiently minimise risk. Guidance in selecting personal protective equipment can be obtained from Australian, Australian/New Zealand

Hygiene Measures

or other approved standards.

Do not eat, drink or smoke in work areas. Wash hands thoroughly after handling this material. Maintain good housekeeping.

9. Physical and chemical properties

Form Liquid

Colourless liquid. **Appearance**

Strong acrid. Odour

Miscible in all proportions. Solubility in Water

pН

10. Stability and reactivity

Reacts with alkalis and amines. Exothermic reaction. Reactivity

Chemical Stability Stable under normal use conditons.

Avoid exposure to heat, direct sunlight, open flames or other sources of **Conditions to Avoid**

ignition.

Incompatible

Oxidisers, metals.

Materials

Will not occur. Hazardous

Polymerization

11. Toxicological Information

Cause severe burns to the mouth, throat and stomach. Ingestion

Inhalation of vapours can cause severe irritation of nose, throat, and upper Inhalation

repiratory tract. Inhalation of higher concentrations may cause central

nervous system effects and respiratory/lung damage.

Skin Causes severe burns. Symptoms may include redness, burning, and swelling of

skin, burns, and other skin damage.

Causes severe burns and eye damage. Risk of blindness. Eye

Respiratory sensitisation Not classified based on available information.

Skin Sensitisation

Not classified based on available information.

Germ cell

Not classified based on available information.

mutagenicity

Carcinogenicity: Category 1B. H351 Suspected of causing cancer by inhalation. Carcinogenicity





5 of Page: 6

Infosafe No™ 3CHPP Issue Date : May 2021 RE-ISSUED by ABS

Product Name TCA/10% FORMALIN NAIL FIXATIVE

Classified as hazardous

Reproductive

No evidence of reproductive effects.

Toxicity

Specific Target Organ Toxicity - Single Exposure: Category 3 STOT-single

exposure

H335 May cause respiratory irritation.

STOT-repeated

Not classified based on available information.

exposure

Prolonged or repeated exposure to low concentrations may cause skin irritation **Chronic Effects**

and burns. Prolonged or repeated exposure may cause liver and kidney damage.

Not classified based on available information. Mutagenicity

12. Ecological information

Ecological Information No ecology data available for this product.

Ecotoxicity

Harmful effect due to pH shift.

Mobility Readily mobile in soil.

Environmental

Do not discharge to the environment.

Protection

13. Disposal considerations

Disposal Considerations

Whatever cannot be saved for recovery or recycling should be disposed of according to relevant local, state and federal government regulations.

14. Transport information

Transport Information Dangerous goods of Class 8 (Corrosive) are incompatible in a placard load with

any of the following:

Class 1, Class 4.3, Class 5, Class 6, if the Class 6 dangerous goods are

cyanides and the Class 8 dangerous goods are acids, Class 7; and are incompatible with food and food packaging in any quantity.

1760 U.N. Number

UN proper shipping

name

CORROSIVE LIQUID, N.O.S. - (Contains Trichloroacetic acid 5%)

Transport hazard

class(es)

8

Hazchem Code Packing Group 2X

ΙI 37 **IERG Number**

15. Regulatory information

Regulatory Information All of the significant ingredients in this formulation are compliant with NICNAS regulations. Not listed under WHS Regulation 2011, Schedule 10 -Prohibited carcinogens, restricted carcinogens and restricted hazardous

chemicals.

Poisons Schedule

16. Other Information

Literature References Commonwealth Department of Health and Aged Care, 'Standard for the Uniform Scheduling of Drugs and Poisons No. 18', Commonwealth of Australia, Canberra

2002.

Lewis, Richard J. Sr. 'Hawley's Condensed Chemical Dictionary 13th. Ed.',

Rev., John Wiley & Sons, Inc., NY, 1997.

National Road Transport Commission, 'Australian Dangerous Goods Code 6th.

Ed.', AGPS, Canberra, 1998.

South Australia Government, 'Approved Code of Practice for the Labelling of

Workplace Substances', 1995. Standards Australia, 'SAA/SNZ HB76:1997 Dangerous Goods - Initial Emergency

Response Guide', Standards Australia/Standards New Zealand, 1997.





6 of 6 Page:

Infosafe No™ 3CHPP Issue Date : May 2021 RE-ISSUED by ABS

Product Name TCA/10% FORMALIN NAIL FIXATIVE

Classified as hazardous

Worksafe Australia, 'Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]', AusInfo, Canberra 1999. Worksafe Australia, 'List of Designated Hazardous Substances [NOHSC:10005(1999)]', AusInfo, Canberra 1999.

Worksafe Australia, 'National Code of Practice for the Labelling of Workplace Substances [NOHSC:2012(1994)]', AGPS, Canberra 1994.

Worksafe Australia, 'National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]', AusInfo, Canberra 1995. ...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.